



MARBLE ADDITIVE

FOR USE WITH UNIVERSAL BASE FLOOR COATING

EASY APPLICATION

1 PREPARE SURFACE



- Scrub heavily-soiled areas with Rust-Oleum Cleaner & Degreaser (sold separately)
- Etch entire floor with concrete etch
- Rinse thoroughly & allow to dry completely

2 BURST-SHAKE-POUR



- Roll side A of RockSolid Universal Base Floor Coating (sold separately) pouch toward side B
- Burst and mix the two parts. Shake well for 2-3 minutes
- Pour the pouch contents into two buckets divided equally

3 MIX IN COLOR TINT ADDITIVES



- Pour each color tint additive into each bucket
- Mix each bucket with paddle mixer and drill (sold separately) or stir stick for 1-2 minutes

4 APPLY COATING



- Pour contents of each mixing bucket into separate sides of the RockSolid Marble Tray (sold separately)
- Trim outer edges
- Apply coating in 4' x 4' sections using the RockSolid Marble Roller (sold separately)

VISIT RUSTOLEUM.COM/ROCKSOLID
FOR INSTRUCTIONAL VIDEOS, FAQs AND TIPS & TECHNIQUES

SAFETY INFORMATION

BEFORE OPENING THE PACKAGE, READ ALL WARNING LABELS AND DATA SHEETS. FOLLOW ALL PRECAUTIONS.

KEEP OUT OF REACH OF CHILDREN AND ANIMALS. DO NOT TAKE INTERNALLY.

FIRST AID:
INHALATION: MILD BRONCHIAL IRRITATION MAY OCCUR. INGESTION: LARGE QUANTITIES MAY CAUSE IRRITATION TO MOUTH, THROAT AND GASTROINTESTINAL TRACT RESULTING IN NAUSEA AND VOMITING.

PROPOSITION 65 - WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. EMERGENCY TELEPHONE: 1-800-424-9300

INFORMACIÓN DE SEGURIDAD

ANTES DE ABRIR EL ENVASE, LEA TODAS LAS ETIQUETAS DE ADVERTENCIA Y LAS FICHAS TÉCNICAS. TOME TODAS LAS PRECAUCIONES.

MANTENGA EL PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS Y DE LOS ANIMALES. NO LO INGERA.

PRIMEROS AUXILIOS:
INHALACIÓN: SE PUEDE PRODUCIR UNA IRRITACIÓN BRONQUIAL. LEVE. INGESTIÓN: LA INGESTIÓN DE GRANDES CANTIDADES DEL PRODUCTO PUEDE CAUSAR IRRITACIÓN DE LA BOCA, DE LA GARGANTA Y DEL TRACTO GÁSTRICO-INTESTINAL, LO QUE A SU VEZ, PUEDE PROVOCAR NAÚSEAS Y VÓMITOS. EN CASO DE INGESTIÓN, BEBA AGUA Y OBTENGA ATENCIÓN MÉDICA. NO INDUCIR EL VÓMITO.

PROPOSICIÓN 65 - ADVERTENCIA: ESTE PRODUCTO ES CONOCIDO EN EL ESTADO DE CALIFORNIA COMO CAUSANTE DE CÁNCER Y DEFECTOS DE NACIMIENTO U OTROS DAÑOS REPRODUCTIVOS. TELÉFONO DE EMERGENCIA: 1-800-424-9300



MARBLE ADDITIVE

FOR USE WITH UNIVERSAL BASE FLOOR COATING



STONE OBSIDIAN

CONTAINS: 2 x 5 FL OZ COLOR TINT ADDITIVES

TOTAL NET CONTENTS
10 FL OZ (296mL)

COVERS UP TO:
200-250 SQ. FT.*



Add the elegant look of natural stone or marble to your home with RockSolid Marble Floor Coatings. These marble finishes combine the durable protection you want with a timeless look. Great for workshops, basements, mud rooms, and more.



PROJECT DETAILS

BEST FOR	➤ Garages, Basements, Workshops, Laundry Rooms, Mud Rooms and More
SUBSTRATES	➤ Concrete, Wood, Tile *see instructions for proper surface preparation
KIT COVERAGE*	➤ Up to 200-250 Sq. Ft
WALK-ON READY	➤ 8-10 Hours
DRIVE READY	➤ 24 Hours
# COATS NEEDED	➤ 1 Coat
APPLY WHEN TEMPERATURE IS	➤ BETWEEN 40°-90° F
SYSTEM REQUIREMENTS	➤ RockSolid Universal Base Floor Coating Kit RockSolid Marble Roller Cover & Tray Kit

*WHEN COMBINED WITH ROCKSOLID UNIVERSAL BASE FLOOR COATING

RUST-OLEUM
CORPORATION
11 Hawthorn Pkwy., Vernon Hills, IL 60061

SATISFACTION GUARANTEED

If you are dissatisfied with this product, contact Rust-Oleum Product Support at 1-866-765-4474 for a product replacement or a full refund of the purchase price. Refer to product number and batch code.

rustoleum.com

1-866-765-4474

VOC < 1 g/L

©2016 Rust-Oleum Corporation
Made in USA 59962 0516

MARBLE ADDITIVE-STONE OBSIDIAN 60060





MARBLE ADDITIVE

FOR USE WITH UNIVERSAL BASE FLOOR COATING

EASY APPLICATION

1 PREPARE SURFACE



- Scrub heavily-soiled areas with Rust-Oleum Cleaner & Degreaser (sold separately)
- Etch entire floor with concrete etch
- Rinse thoroughly & allow to dry completely

2 BURST-SHAKE-POUR



- Roll side A of RockSolid Universal Base Floor Coating (sold separately) pouch toward side B
- Burst and mix the two parts. Shake well for 2-3 minutes
- Pour the pouch contents into two buckets divided equally

3 MIX IN COLOR TINT ADDITIVES



- Pour each color tint additive into each bucket
- Mix each bucket with paddle mixer and drill (sold separately) or stir stick for 1-2 minutes

4 APPLY COATING



- Pour contents of each mixing bucket into separate sides of the RockSolid Marble Tray (sold separately)
- Trim outer edges
- Apply coating in 4' x 4' sections using the RockSolid Marble Roller (sold separately)

VISIT RUSTOLEUM.COM/ROCKSOLID
FOR INSTRUCTIONAL VIDEOS, FAQs AND TIPS & TECHNIQUES

SAFETY INFORMATION

BEFORE OPENING THE PACKAGE, READ ALL WARNING LABELS AND DATA SHEETS. FOLLOW ALL PRECAUTIONS.

KEEP OUT OF REACH OF CHILDREN AND ANIMALS. DO NOT TAKE INTERNALLY.

FIRST AID:
INHALATION: MILD BRONCHIAL IRRITATION MAY OCCUR. INGESTION: LARGE QUANTITIES MAY CAUSE IRRITATION TO MOUTH, THROAT AND GASTROINTESTINAL TRACT RESULTING IN NAUSEA AND VOMITING.

PROPOSITION 65 - WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. EMERGENCY TELEPHONE: 1-800-424-9300

INFORMACIÓN DE SEGURIDAD

ANTES DE ABRIR EL ENVASE, LEA TODAS LAS ETIQUETAS DE ADVERTENCIA Y LAS FICHAS TÉCNICAS. TOQUE TODAS LAS PRECAUCIONES.

MANTENGA EL PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS Y DE LOS ANIMALES. NO LO INGERA.

PRIMEROS AUXILIOS:
INHALACIÓN: SE PUEDE PRODUCIR UNA IRRITACIÓN BRONQUIAL. LEE: INGESTIÓN: LA INGESTIÓN DE GRANDES CANTIDADES DEL PRODUCTO PUEDE CAUSAR IRRITACIÓN DE LA BOCA, DE LA GARGANTA Y DEL TRACTO GASTRO-INTESTINAL, LO QUE A SU VEZ PUEDE PROVOCAR NAÚSEAS Y VÓMITOS. EN CASO DE INGESTIÓN, BEBA AGUA Y OBTENGA ATENCIÓN MÉDICA. NO INDUCIA EL VÓMITO.

PROPOSICIÓN 65 - ADVERTENCIA: ESTE PRODUCTO ES CONOCIDO EN EL ESTADO DE CALIFORNIA COMO CAUSANTE DE CÁNCER Y DEFECTOS DE NACIMIENTO U OTROS DAÑOS REPRODUCTIVOS. TELÉFONO DE EMERGENCIA: 1-800-424-9300



MARBLE ADDITIVE

FOR USE WITH UNIVERSAL BASE FLOOR COATING



GOLD SANDSTONE

CONTAINS: 2 x 5 FL OZ COLOR TINT ADDITIVES

TOTAL NET CONTENTS
10 FL OZ (296mL)

COVERS UP TO:
200-250 SQ. FT.*



Add the elegant look of natural stone or marble to your home with RockSolid Marble Floor Coatings. These marble finishes combine the durable protection you want with a timeless look. Great for workshops, basements, mud rooms, and more.



PROJECT DETAILS

BEST FOR	> Garages, Basements, Workshops, Laundry Rooms, Mud Rooms and More
SUBSTRATES	> Concrete, Wood, Tile *see instructions for proper surface preparation
KIT COVERAGE*	> Up to 200-250 Sq. Ft
WALK-ON READY	> 8-10 Hours
DRIVE READY	> 24 Hours
# COATS NEEDED	> 1 Coat
APPLY WHEN TEMPERATURE IS	> BETWEEN 40°-90° F
SYSTEM REQUIREMENTS	> RockSolid Universal Base Floor Coating Kit RockSolid Marble Roller Cover & Tray Kit

*WHEN COMBINED WITH ROCKSOLID UNIVERSAL BASE FLOOR COATING

RUST-OLEUM
CORPORATION
11 Hawthorn Pkwy., Vernon Hills, IL 60061

SATISFACTION GUARANTEED

If you are dissatisfied with this product, contact Rust-Oleum Product Support at 1-866-765-4474 for a product replacement or a full refund of the purchase price. Refer to product number and batch code.

rustoleum.com

1-866-765-4474

VOC < 1 g/L
©2016 Rust-Oleum Corporation
Made in USA 59963 0516

MARBLE ADDITIVE-GOLD SANDSTONE 60061





MARBLE ADDITIVE

FOR USE WITH UNIVERSAL BASE FLOOR COATING

EASY APPLICATION

1 PREPARE SURFACE



- Scrub heavily-soiled areas with Rust-Oleum Cleaner & Degreaser (sold separately)
- Etch entire floor with concrete etch
- Rinse thoroughly & allow to dry completely

2 BURST-SHAKE-POUR



- Roll side A of RockSolid Universal Base Floor Coating (sold separately) pouch toward side B
- Burst and mix the two parts. Shake well for 2-3 minutes
- Pour the pouch contents into two buckets divided equally

3 MIX IN COLOR TINT ADDITIVES



- Pour each color tint additive into each bucket
- Mix each bucket with paddle mixer and drill (sold separately) or stir stick for 1-2 minutes

4 APPLY COATING



- Pour contents of each mixing bucket into separate sides of the RockSolid Marble Tray (sold separately)
- Trim outer edges
- Apply coating in 4' x 4' sections using the RockSolid Marble Roller (sold separately)

VISIT RUSTOLEUM.COM/ROCKSOLID
FOR INSTRUCTIONAL VIDEOS, FAQs AND TIPS & TECHNIQUES

SAFETY INFORMATION

BEFORE OPENING THE PACKAGE, READ ALL WARNING LABELS AND DATA SHEETS. FOLLOW ALL PRECAUTIONS.

KEEP OUT OF REACH OF CHILDREN AND ANIMALS. DO NOT TAKE INTERNALLY.

FIRST AID:
INHALATION: MILD BRONCHIAL IRRITATION MAY OCCUR. INGESTION: LARGE QUANTITIES MAY CAUSE IRRITATION TO MOUTH, THROAT AND GASTROINTESTINAL TRACT RESULTING IN NAUSEA AND VOMITING.

PROPOSITION 65 - WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. EMERGENCY TELEPHONE: 1-800-424-9300

INFORMACIÓN DE SEGURIDAD

ANTES DE ABRIR EL ENVASE, LEA TODAS LAS ETIQUETAS DE ADVERTENCIA Y LAS FICHAS TÉCNICAS. TOMA TODAS LAS PRECAUCIONES.

MANTENGA EL PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS Y DE LOS ANIMALES. NO LO INGERA.

PRIMEROS AUXILIOS:
INHALACIÓN: SE PUEDE PRODUCIR UNA IRRITACIÓN BRONQUIAL LEVE. INGESTIÓN: LA INGESTIÓN DE GRANDES CANTIDADES DEL PRODUCTO PUEDE CAUSAR IRRITACIÓN DE LA BOCA, DE LA GARGANTA Y DEL TRACTO GASTRO-INTESTINAL, LO QUE A SU VEZ, PUEDE PRODUCIR NAÚSEAS Y VÓMITOS. EN CASO DE INGESTIÓN, BEBA AGUA Y OBTenga ATENCIÓN MÉDICA. NO INDUzca EL VÓMITO.

PROPOSICIÓN 65 - ADVERTENCIA: ESTE PRODUCTO ES CONOCIDO EN EL ESTADO DE CALIFORNIA COMO CAUSANTE DE CÁNCER Y DEFECTOS DE NACIMIENTO U OTROS DAÑOS REPRODUCTIVOS. TELÉFONO DE EMERGENCIA: 1-800-424-9300



MARBLE ADDITIVE

FOR USE WITH UNIVERSAL BASE FLOOR COATING



TERRA COTTA

CONTAINS: 2 x 5 FL OZ COLOR TINT ADDITIVES

TOTAL NET CONTENTS
10 FL OZ (296mL)

COVERS UP TO:
200-250 SQ. FT.*



Add the elegant look of natural stone or marble to your home with RockSolid Marble Floor Coatings. These marble finishes combine the durable protection you want with a timeless look. Great for workshops, basements, mud rooms, and more.



PROJECT DETAILS

BEST FOR	> Garages, Basements, Workshops, Laundry Rooms, Mud Rooms and More
SUBSTRATES	> Concrete, Wood, Tile *see instructions for proper surface preparation
KIT COVERAGE*	> Up to 200-250 Sq. Ft
WALK-ON READY	> 8-10 Hours
DRIVE READY	> 24 Hours
# COATS NEEDED	> 1 Coat
APPLY WHEN TEMPERATURE IS	> BETWEEN 40°-90° F
SYSTEM REQUIREMENTS	> RockSolid Universal Base Floor Coating Kit RockSolid Marble Roller Cover & Tray Kit

*WHEN COMBINED WITH ROCKSOLID UNIVERSAL BASE FLOOR COATING

RUST-OLEUM
CORPORATION
11 Hawthorn Pkwy., Vernon Hills, IL 60061

SATISFACTION GUARANTEED

If you are dissatisfied with this product, contact Rust-Oleum Product Support at 1-866-765-4474 for a product replacement or a full refund of the purchase price. Refer to product number and batch code.

rustoleum.com

1-866-765-4474

VOC < 1 g/L
©2016 Rust-Oleum Corporation
Made in USA 59964 0516

MARBLE ADDITIVE-TERRA COTTA 60062





MARBLE ADDITIVE

FOR USE WITH UNIVERSAL BASE FLOOR COATING



MARBLE ADDITIVE

FOR USE WITH UNIVERSAL BASE FLOOR COATING



SIENNA SUNSET

CONTAINS: 2 x 5 FL OZ COLOR TINT ADDITIVES

TOTAL NET CONTENTS
10 FL OZ (296mL)

COVERS UP TO:
200-250 SQ. FT.*

EASY APPLICATION

1 PREPARE SURFACE



- Scrub heavily-soiled areas with Rust-Oleum Cleaner & Degreaser (sold separately)
- Etch entire floor with concrete etch
- Rinse thoroughly & allow to dry completely

2 BURST-SHAKE-POUR



- Roll side A of RockSolid Universal Base Floor Coating (sold separately) pouch toward side B
- Burst and mix the two parts. Shake well for 2-3 minutes
- Pour the pouch contents into two buckets divided equally

3 MIX IN COLOR TINT ADDITIVES



- Pour each color tint additive into each bucket
- Mix each bucket with paddle mixer and drill (sold separately) or stir stick for 1-2 minutes

4 APPLY COATING



- Pour contents of each mixing bucket into separate sides of the RockSolid Marble Tray (sold separately)
- Trim outer edges
- Apply coating in 4' x 4' sections using the RockSolid Marble Roller (sold separately)

VISIT RUSTOLEUM.COM/ROCKSOLID
FOR INSTRUCTIONAL VIDEOS, FAQs AND TIPS & TECHNIQUES

SAFETY INFORMATION

BEFORE OPENING THE PACKAGE, READ ALL WARNING LABELS AND DATA SHEETS. FOLLOW ALL PRECAUTIONS.
KEEP OUT OF REACH OF CHILDREN AND ANIMALS. DO NOT TAKE INTERNALLY.
FIRST AID:
INHALATION: MILD BRONCHIAL IRRITATION MAY OCCUR. INGESTION: LARGE QUANTITIES MAY CAUSE IRRITATION TO MOUTH, THROAT AND GASTROINTESTINAL TRACT RESULTING IN NAUSEA AND VOMITING.
PROPOSITION 65 - WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.
EMERGENCY TELEPHONE: 1-800-424-9300

INFORMACIÓN DE SEGURIDAD

ANTES DE ABRIR EL ENVASE, LEA TODAS LAS ETIQUETAS DE ADVERTENCIA Y LAS FICHAS TÉCNICAS. TOMA TODAS LAS PRECAUCIONES.
MANTENGA EL PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS Y DE LOS ANIMALES. NO LO INGERA.
PRIMEROS AUXILIOS:
INHALACIÓN: SE PUEDE PRODUCIR UNA IRRITACIÓN BRONQUIAL LEVE. INGESTIÓN: LA INGESTIÓN DE GRANDES CANTIDADES DEL PRODUCTO PUEDE CAUSAR IRRITACIÓN DE LA BOCA, DE LA GARGANTA Y DEL TRACTO GÁSTRICO-INTESTINAL, LO QUE, A SU VEZ, PUEDE PROVOCAR NAÚSEAS Y VÓMITOS. EN CASO DE INGESTIÓN, BEBA AGUA Y OBTENGA ATENCIÓN MÉDICA. NO INDUzca EL VÓMITO.
PROPOSICIÓN 65 - ADVERTENCIA: ESTE PRODUCTO ES CONOCIDO EN EL ESTADO DE CALIFORNIA COMO CAUSANTE DE CÁNCER Y DEFECTOS DE NACIMIENTO U OTROS DAÑOS REPRODUCTIVOS.
TELÉFONO DE EMERGENCIA: 1-800-424-9300



Add the elegant look of natural stone or marble to your home with RockSolid Marble Floor Coatings. These marble finishes combine the durable protection you want with a timeless look. Great for workshops, basements, mud rooms, and more.



PROJECT DETAILS

BEST FOR	➤ Garages, Basements, Workshops, Laundry Rooms, Mud Rooms and More
SUBSTRATES	➤ Concrete, Wood, Tile *see instructions for proper surface preparation
KIT COVERAGE*	➤ Up to 200-250 Sq. Ft
WALK-ON READY	➤ 8-10 Hours
DRIVE READY	➤ 24 Hours
# COATS NEEDED	➤ 1 Coat
APPLY WHEN TEMPERATURE IS	➤ BETWEEN 40°-90° F
SYSTEM REQUIREMENTS	➤ RockSolid Universal Base Floor Coating Kit RockSolid Marble Roller Cover & Tray Kit

*WHEN COMBINED WITH ROCKSOLID UNIVERSAL BASE FLOOR COATING

RUST-OLEUM
CORPORATION
11 Hawthorn Pkwy., Vernon Hills, IL 60061

SATISFACTION GUARANTEED

If you are dissatisfied with this product, contact Rust-Oleum Product Support at 1-866-765-4474 for a product replacement or a full refund of the purchase price. Refer to product number and batch code.

rustoleum.com

1-866-765-4474

VOC < 1 g/L
©2016 Rust-Oleum Corporation
Made in USA 59965 0516

MARBLE ADDITIVE-SIENNA SUNSET 60063

