



**MOLDEX®
MOLD KILLER**

DESCRIPTION AND USES

Moldex® Mold Killer kills mold and inhibits mildew. Mold Killer is effective against a broad spectrum of bacteria, virucidal, fungicidal, and inhibits the growth of mildew and their odors when used as directed. Cleans with a fresh scent. Eliminates odors.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

EPA REG. NO. 6836-193-82480

PRODUCTS

SKU	DESCRIPTION
5006	22oz. Bottle
5010	32oz. Bottle
5520	1 Gallon
5600	5 Gallons

PERFORMANCE CHARACTERISTICS

- Bleach Free
- Kills Mold
- Inhibits the growth of mold and mildew
- Cleans, deodorizes and disinfects
- Commercial and Industrial use

PRODUCT APPLICATION

DISINFECTION DIRECTIONS

Preclean prior to disinfection. Spray 6-8 inches from surface, until surfaces are thoroughly wet. Do not breathe spray. Treated surfaces must remain wet for 1 minute for disinfection against bacteria. Follow virucidal or Fungicidal directions when using as a virucidal or fungicidal agent. Wipe dry with a clean cloth, sponge, mop or allow to air dry.

Food contact surfaces must be rinsed with potable water after disinfection. Do not use on utensils, glassware and dishes.

PRODUCT APPLICATION (cont.)

SURFACE PREPARATION (cont.)

VIRUCIDAL DIRECTIONS

Follow disinfection directions for application instructions. Treated surfaces must remain wet for 10 minutes for Herpes Simplex Type 2 and 60 seconds for Influenza/Hong Kong.

MOLD AND MILDEW CONTROL DIRECTIONS

Moldex Mold Killer effectively inhibits the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Allow to air dry on surface. Repeat every 7 days, or when mold or mildew growth returns.

FUNGICIDAL DIRECTIONS

Moldex Mold Killer is an effective fungicide against Trichophyton mentagrophytes (the Athlete's Foot Fungus) (a cause of ringworm) in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, health clubs and spas. Follow disinfection directions for application instructions. Treated surfaces must remain wet for 10 minutes.

This product is not for use on medical device surfaces.

KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids containing HIV must be thoroughly cleaned from surfaces and objects before application of Moldex Mold Killer.

Contact Time: Leave surface wet for 30 seconds. Use a 1 minute contact time for disinfection against Influenza A/Hong Kong Influenza and bacteria and a 10 minute contact time against all other viruses and fungi claimed.



**MOLDEX®
MOLD KILLER**

PRODUCT APPLICATION (cont.)

SURFACE PREPARATION (cont.)

Disposal of Infectious Materials: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

TO SANTIZE AND DEODORIZE NON-FOOD CONTACT SURFACES: Spray Moldex Mold Killer until thoroughly wet. Treated surfaces must remain wet for 30 seconds. Then wipe. For heavily soiled areas, a pre-cleaning is required.

DEODORIZER DIRECTIONS:

Air Freshener, porous surfaces: Apply a light spray onto surfaces such as upholstery, drapes, bedding, carpet, A/C filters, etc.

Pet Odors: Saturate pre-cleaned area with enough Moldex Mold Killer to remain damp for at least 8 minutes, then blot with clean cloth. Repeat if necessary. Effective on bedding and litter boxes. Allow to dry.

Laundry: 3 fl. oz. during the final rinse will deodorize offensive odors.

Automobile/RV: Spraying liberally onto seats, carpets, headliner and ashtray or into the trunk will eliminate odors from tobacco, beverage spills and musty carpet.

Hard Surfaces: Spray directly to odor source such as diaper or garbage pails, fishing gear, bed pans, hampers, toilets, shower curtains, fireplace, athletic or work shoes, etc. Use in sick rooms, closets, basements or anywhere there are odors.

PRODUCT APPLICATION (cont.)

SURFACE PREPARATION (cont.)

Moldex Mold Killer is effective as disinfectant against: Pseudomonas aeruginosa [Pseudomonas] (in one minute), Salmonella enteric [Salmonella] (in one minute), Staphylococcus aureus [Staph] (in one minute), Herpes Simplex Type 2 [Herpes] (in 10 minutes), HIV-1 (AIDS Virus) (in 30 seconds), Influenza A/Hong Kong [Influenza] (in 60 seconds), Trichophyton mentagrophytes [The Athlete's Foot Fungus] [A Cause of Ringworm] (in 10 minutes),

Moldex Mold Killer is a sanitizer for hard, nonporous (kitchen, bathroom and household) non-food contact surfaces according to the method for Sanitizers- Non Food Contact Surfaces, modified in the presence of 5% organic serum, in 30 seconds by killing 99.9% of: Enterobacter aerogenes, Enterococcus (Streptococcus) faecalis [VREF], Escherichia coli [E. coli], Escherichia coli O157:H7 [pathogenic E. coli], Salmonella enterica [Salmonella], Staphylococcus aureus [Staph], and Streptococcus pyogenes [Strep].

STORAGE AND DISPOSAL

For Household/Residential Use: Store in original container in areas inaccessible to children. Non-refillable container. Do not reuse or refill this container. Wrap container and put in trash or offer for reconditioning if appropriate.

For Commercial/Institutional/Industrial Uses: Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Container Disposal: Non-refillable container. Do not reuse or refill this container. Triple rinse or equivalent. Offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

	TECHNICAL DATA	MDX-01
	MOLDEX[®] MOLD KILLER	

PHYSICAL PROPERTIES

		MOLDEX MOLD KILLER
Odor		Floral
PH Concentrate		10.0-12.0
Weight	Per Gallon	8.4 lbs.
	Per Liter	2.22 kgs
Solids	Weight	2.2%
	Volume	1.3%
Volatile Organic Compounds		622 g/l
Practical Coverage		Varies with surface type and porosity
Shelf Life		2 years
Flash Point		>200°F (94°C)
Safety Information		For additional information, see SDS

The technical data and suggestions for use contained herein are correct to the best of our knowledge, and offered in good faith. The statements of this literature do not constitute a warranty, express, or implied, as to the performance of these products. As conditions and use of our materials are beyond our control, we can guarantee these products only to conform to our standards of quality, and our liability, if any, will be limited to replacement of defective materials. All technical information is subject to change without notice.